

DISTINCTIVE GEOMETRIES, APPLICATION AGILITY AND COATING TOUGHNESS

ALL MAKE **SOMTA TOOLS** PROUD LEADERS OF **WORLD CLASS CUTTING TOOLS**

THAT CAN ENDURE IN ANY MACHINED MATERIAL





## Manufacturers & Suppliers of Drills, Reamers, End Mills, Bore Cutters, Taps & Dies, Toolbits, Solid Carbide Tooling, Carbide Insert Tooling, Custom Tools and Surface Coatings

Somta Tools was founded in 1954 by Samuel Osborn Ltd of Sheffield, England, through its subsidiaries Osborn Steels and Osborn Mushet Tools. The name Somta was chosen as the acronym for these companies operating in South Africa.

Somta continues to operate from its original site on Moses Mabhidha (formerly Edendale) Road in Pietermaritzburg. Somta's expansion has been brought about by the acquisition of two cutting tool companies during the 1980's. Additional growth is realised by continual investment in new plant, with emphasis on state of the art CNC equipment such as Junker, Normac, Rollomatic, Walter, Reinecker and Reishauer machines including new ANCA and Walter CNC grinding machines to further expand solid carbide range manufacturing capacity.

From humble beginnings in 1954 with 20 employees, Somta has grown into one of the largest cutting tool manufacturers in the southern hemisphere, operating from offices and modern manufacturing facilities laid out over 3 hectares with a complement of over 400 employees.

The factory in Pietermaritzburg manufactures 25 000 standard items and a further 6 000 made-to-order items to serve local markets and export markets in over 70 countries worldwide.

Somta Tools specialises in the design and manufacture of standard and custom tools for the industrial and "do it yourself" markets. Product categories can be summarised as drills, cutters, reamers, threading tools and toolbits, which are made in a wide range of sizes, using various materials (HSS and Solid Carbide) and Balzers PVD surface coatings to extend wear life.

The company's vision of "To manufacture and supply superior cutting tools, driven by a culture of service excellence, to global and domestic markets" is supported by ISO 9002 which was achieved in 1991 and ISO 9001 in 2003 and 2008.














































Somta has an integrated state of the art Balzers PVD Rapid coating system in its manufacturing programme, offering the innovative range of Balzers BALINIT<sup>®</sup> high performance coatings on all cutting tools.



# ICON





























## LEGEND & DESCRIPTION

Material	<b>HSS</b>	High Speed Steel	<b>HSS Co5</b>	5% Cobalt High Speed Steel	<b>HSS Co8</b>	8% Cobalt High Speed Steel	<b>HSS Co8e</b>	8% Cobalt HSS, Eccentric Relief Sharpening		
	<b>HSS V3</b>	3% Vanadium High Speed Steel	<b>*SOLID CARBIDE</b>	9-10% Cobalt, 0.2-0.8 µm Grain size.	<b>CARBON STEEL</b>	Carbon Steel				
Finish	<b>BLUE FINISH</b>	Steam (HOMO) Temper	<b>BRIGHT FINISH</b>	No Surface Treatment	<b>COATED</b> Oerlikon Balzers coating specially adapted to suit application.					
	<b>GOLD OXIDE</b>	Steam (HOMO) Temper Straw Colour	<b>TIAlN</b>	Titanium Aluminium Nitride (Black Finish)	<b>TiN</b> Titanium Nitride (Gold Finish)					
Type	<b>TYPE N</b>	Type N Standard	<b>TYPE W</b>	Type W For Soft Materials	<b>TYPE H</b>	Type H For Hard Materials	<b>TYPE FS</b>	Parabolic Flute Strong Core		
	<b>CBA</b> Colour Band Application									
Milling Profile		Staggered Teeth Side & Face Cutters		Straight Teeth Side & Face Cutters						
		HR Fine Pitch Knuckle Type Roughing Profile		NR Coarse Pitch Knuckle Type Roughing Profile		HF Fine Pitch Flat Crest Rough Semi-finishing Profile		NF Coarse Pitch Flat Crest Rough Semi-finishing Profile		
Standard	<b>ISO 529</b>	ISO Standard 529	<b>DIN 371</b>	DIN Standard 371	<b>WORKS STD.</b>	Factory Specifications				
	<b>RF</b>	Refined Flute	<b>QS</b>	Quick Spiral	<b>H 7</b>	Reamer to produce H7 Tolerance				
Shank		Flatted Shank h6 Tolerance		Plain Shank h7 Tolerance		Threaded Shank h8 Tolerance		Carbide Plain Shank h6 Tolerance		
	 Morse Taper Shank MT 3 - 5									
Point Angle								Drill Point Angles		
		Countersink Angles								
Lengths		Drills Stub Series		Drills Jobber Series		Drills Long Series		Drills Extra Length Series		
		End Mills Regular Series		End Mills Long Series						
Flute Helix Angle										Right hand helix
				Left hand helix						
Centre Drills		Form A Standard		Form B Protected	 Form R Radius					
		To Suit 1 in 10 Taper		To Suit 1 in 50 Taper	 To Suit 1 in 48 Taper					

Continued on next page...

# ICON

## LEGEND & DESCRIPTION... from previous page

Threads	<b>M</b>	Metric	<b>MF</b>	Metric Fine	<b>BSW</b>	British Standard Whitworth	<b>BSF</b>	British Standard Whitworth Fine	
	<b>UNC</b>	Unified National Coarse	<b>UNF</b>	Unified National Fine	<b>BSPT</b>	British Standard Pipe Taper "F" Series	<b>BSP</b>	British Standard Pipe (Fine) "G" Series	
	<b>NPS</b>	National Pipe Straight	<b>NPT</b>	National Pipe Taper	<b>BA</b>	British Association	<b>BSB</b>	British Standard Brass	
				Thread Form - with 47 1/2°/55°/60° flank angle					
Tolerance							Tolerance on cutting Diameter		
			Woodruff Tolerance					Corner Rounding Tolerance	
Application					Direction of Cut				
									
									

# GENERAL



## MATERIAL DESCRIPTIONS

Materials	Code 0	Code 1	Code 2	Code 3	Code 4	Code 5	Code 7
Free Cutting Steels	x	x	x	x	x	x	x
Carbon Steel	x	x	x	x	x	x	x
Alloy Steel	x	x	x	x	x	x	x
Stainless Steel	x	x	x	x	x	x	x
Heat Resisting Alloys		x	x				
Nimonic Alloys				x	x	x	x
Titanium	x	x	x	x	x	x	x
Tool Steel				x	x	x	x
Cast Irons	x	x	x	x	x	x	x
Nickel	x						
Manganese Steels		x	x			x	x
Aluminium Alloys	x	x	x	x	x	x	x
Magnesium Alloys		x	x			x	x
Zinc Alloys						x	x
Copper	x	x	x	x	x	x	x
Synthetics / Plastics	x	x	x	x	x	x	x

# INDEX

## THREADING TOOLS



PRODUCT	SPEC.	CODE TYPE	RANGE	PAGE	
<b>Short Hand Taps</b> <b>Metric Coarse - HSS</b> For general hand tapping.		ISO 529	<b>501</b>	M1-M68	124
<b>Left Hand Short Hand Taps</b> <b>Metric Coarse - HSS</b> For general hand tapping.		ISO 529	<b>519</b>	M3-M36	125
<b>Serial Hand Taps</b> <b>Metric Coarse - HSSE-V3</b> For tapping in tougher materials.		DIN 352	<b>518</b>	M3-M24	126
<b>Gun Nose Short Machine Taps</b> <b>Metric Coarse - HSSE-V3</b> For machine tapping of through holes.		ISO 529	<b>508</b>	M2-M36	127
<b>15° Spiral Flute Short Machine Taps</b> <b>Metric Coarse - HSSE-V3</b> For machine tapping of blind holes.		ISO 529	<b>509</b>	M3-M24	128
<b>35° Spiral Flute Short Machine Taps</b> <b>Metric Coarse - HSSE-V3</b> For machine tapping of blind holes.		ISO 529	<b>510</b>	M3-M24	128
<b>CBA - Yellow Band Gun Nose Taps</b> <b>Metric Coarse - Bright Finish - HSSE-V3</b> For machine tapping of through holes in soft materials eg. Aluminium.		DIN 371	<b>538</b>	M3-M10	129
		DIN 376	<b>548</b>	M12-M24	129
<b>CBA - Yellow Band 40° Spiral Flute Taps</b> <b>Metric Coarse - Bright Finish - HSSE-V3</b> For machine tapping of blind holes in soft materials eg. Aluminium.		DIN 371	<b>558</b>	M3-M10	130
		DIN 376	<b>569</b>	M12-M24	130
<b>CBA - Yellow Band Fluteless Taps</b> <b>Metric Coarse - TiN Coated - HSSE-V3</b> For cold forming threads in ductile materials.		DIN 371	<b>512</b>	M3-M12	131
<b>CBA - Blue Band Gun Nose Taps</b> <b>Metric Coarse - TiAIN Coated - HSSE-V3</b> For machine tapping of through holes in tough materials eg. Stainless Steel.		DIN 371	<b>539</b>	M3-M10	132
		DIN 376	<b>549</b>	M12-M24	132
<b>CBA - Blue Band 40° Spiral Flute Taps</b> <b>Metric Coarse - TiAIN Coated - HSSE-V3</b> For machine tapping of blind holes in tough materials eg. Stainless Steel.		DIN 371	<b>559</b>	M3-M10	133
		DIN 376	<b>570</b>	M12-M24	133
<b>CBA - Red Band Gun Nose Taps</b> <b>Metric Coarse - TiAIN Coated - HSSE-V3</b> For machine tapping of through holes in high tensile materials eg. Tool Steel.		DIN 371	<b>540</b>	M3-M10	134
		DIN 376	<b>550</b>	M12-M24	134

Continued on next page..



# INDEX

## THREADING TOOLS... from previous page

PRODUCT	SPEC.	CODE TYPE	RANGE	PAGE	
<b>CBA - Red Band 15° Spiral Flute Taps</b> <b>Metric Coarse - TiAlN Coated - HSSE-V3</b> For machine tapping of blind holes in high tensile materials eg. Tool Steel.		DIN 371	<b>564</b>	M3-M10	135
		DIN 376	<b>576</b>	M12-M24	135
<b>CBA - White Band 15° Spiral Flute Taps</b> <b>Metric Coarse - TiAlN Coated - HSSE-V3</b> For machine tapping of blind holes or through holes in Cast Iron.		DIN 371	<b>578</b>	M3-M10	136
		DIN 376	<b>579</b>	M12-M24	136
<b>CBA - Green Band Gun Nose Taps</b> <b>Metric Coarse - TiN Coated - HSSE-V3</b> For machine tapping of through holes in carbon steels.		DIN 371	<b>561</b>	M3-M10	137
		DIN 376	<b>566</b>	M5-M24	137
<b>CBA - Green Band 15° Spiral Flute Taps</b> <b>Metric Coarse - TiN Coated - HSSE-V3</b> For machine tapping of blind holes in carbon steels.		DIN 371	<b>562</b>	M3-M10	138
		DIN 376	<b>567</b>	M3.5-M24	138
<b>CBA - Green Band 35° Spiral Flute Taps</b> <b>Metric Coarse - TiN Coated - HSSE-V3</b> For machine tapping of blind holes in carbon steels.		DIN 371	<b>563</b>	M3-M10	139
		DIN 376	<b>568</b>	M3.5-M24	139
<b>Short Hand Taps</b> <b>Metric Fine - HSS</b> For general hand tapping.		ISO 529	<b>511</b>	MF3-MF52	140-141
<b>Gun Nose Short Machine Taps</b> <b>Metric Fine - HSSE-V3</b> For machine tapping of through holes.		ISO 529	<b>515</b>	MF4-MF24	142
<b>Short Hand Taps</b> <b>BSW - HSS</b> For general hand tapping.		ISO 529	<b>521</b>	1/16-2"	143
<b>Gun Nose Short Machine Taps</b> <b>BSW - HSSE-V3</b> For machine tapping of through holes.		ISO 529	<b>526</b>	1/8-1"	144
<b>35° Spiral Flute Short Machine Taps</b> <b>BSW - HSSE-V3</b> For machine tapping of blind holes.		ISO 529	<b>528</b>	1/8-1"	144
<b>Short Hand Taps</b> <b>BSF - HSS</b> For general hand tapping.		ISO 529	<b>531</b>	3/16-2"	145
<b>Short Hand Taps</b> <b>UNC - HSS</b> For general hand tapping.		ISO 529	<b>541</b>	No.4-2"	146

Continued on next page...



# INDEX

## THREADING TOOLS... from previous page



PRODUCT	SPEC.	CODE TYPE	RANGE	PAGE	
<b>Gun Nose Short Machine Taps</b> <b>UNC - HSSE-V3</b> For machine tapping of through holes.		ISO 529	<b>545</b>	No.6-1"	147
<b>35° Spiral Flute Short Machine Taps</b> <b>UNC - HSSE-V3</b> For machine tapping of blind holes.		ISO 529	<b>546</b>	No.6-1"	147
<b>Short Hand Taps</b> <b>UNF - HSS</b> For general hand tapping.		ISO 529	<b>551</b>	No.4-1.1/2"	148
<b>Gun Nose Short Machine Taps</b> <b>UNF - HSSE-V3</b> For machine tapping of through holes.		ISO 529	<b>555</b>	No.4-1"	149
<b>35° Spiral Flute Short Machine Taps</b> <b>UNF - HSSE-V3</b> For machine tapping of blind holes.		ISO 529	<b>556</b>	No.4-1"	149
<b>Parallel Pipe Taps - BSP-G - HSS</b> For hand or machine tapping of through or blind holes.		ISO 2284	<b>571</b>	1/8-3"	150
<b>Gun Nose Short Machine Taps</b> <b>BSP-G - HSSE-V3</b> For machine tapping of through holes.		ISO 2284	<b>573</b>	1/8-3/4"	150
<b>Taper Pipe Hand Taps - BSPT - HSS</b> For hand or machine tapping of through or blind holes.		ISO 2284	<b>575</b>	1/8-2"	151
<b>Parallel Pipe Taps - NPS - HSS</b> For hand or machine tapping of through or blind holes.		ISO 2284	<b>581</b>	1/8-2"	152
<b>Taper Pipe Taps - NPT - HSS</b> For hand or machine tapping of through or blind holes.		ISO 2284	<b>585</b>	1/8-2"	152
<b>Short Hand Taps - BA - HSS</b> For general hand tapping.		ISO 529	<b>591</b>	No.12-0"	153
<b>Short Hand Taps</b> <b>BSB - HSS</b> For general hand tapping.		ISO 529	<b>595</b>	1/4-1"	153
<b>Circular Solid Dies</b> <b>Metric Coarse - HSS</b> For hand or machine production of components 3 x D in length.		DIN 223	<b>580</b>	M1-M48	154
<b>Circular Solid Dies</b> <b>Metric Fine - HSS</b> For hand or machine production of components 3 x D in length.		DIN 223	<b>582</b>	MF2-MF52	155














Continued on next page...





# INDEX

## THREADING TOOLS... from previous page

PRODUCT	SPEC.	CODE TYPE	RANGE	PAGE	
<b>Circular Solid Dies</b> <b>BSP - HSS</b> For hand or machine production of components 3 x D in length.		DIN 223	<b>587</b>	1/8-2"	156
<b>Circular Solid Dies</b> <b>NPT - HSS</b> For hand or machine production of components 3 x D in length.		DIN 223	<b>590</b>	1/8-2"	156
<b>Die Nuts</b> <b>Metric Coarse - HSS</b> For general purpose repairing or cleaning of threads.		DIN 382	<b>507</b>	M3-M36	157
<b>Die Nuts</b> <b>Metric Fine - HSS</b> For general purpose repairing or cleaning of threads.		DIN 382	<b>577</b>	MF3-MF36	157
<b>Die Nuts</b> <b>BSW - HSS</b> For general purpose repairing or cleaning of threads.		DIN 382	<b>527</b>	1/8-2"	158
<b>Die Nuts</b> <b>BSF - HSS</b> For general purpose repairing or cleaning of threads.		DIN 382	<b>537</b>	1/4-2"	158
<b>Die Nuts</b> <b>UNC - HSS</b> For general purpose repairing or cleaning of threads.		DIN 382	<b>547</b>	1/4-1.1/2	159
<b>Die Nuts</b> <b>UNF - HSS</b> For general purpose repairing or cleaning of threads.		DIN 382	<b>557</b>	1/4-1.1/2	159
<b>Die Nuts</b> <b>BSP - HSS</b> For general purpose repairing or cleaning of threads.		DIN 382	<b>574</b>	1/8-2"	160
<b>Adjustable Tap Wrenches - HSS</b> For direct application of hand taps.		DIN 1814	<b>588</b>	T1-T2 TL3-TL4 TW1-TW6	161
<b>Die Stocks</b> For direct application of circular solid dies - Din 223 without capsule.		DIN 225	<b>589</b>	0-9A	161
<b>Tap &amp; Die Cased Sets - HSS</b> For hand or machine tapping of through or blind holes.		-	<b>5A1</b>	HS3-HS21	162-164
<b>CBA - Colour Band Jobber Drill and Gun Nose Tap Sets</b> Drills are ideal for use on CNC machines where high productivity and accurate holes are required. Taps are for machine tapping of through holes.		DIN 338 DIN 371 DIN 376	<b>5BB</b> <b>5G7</b> <b>5R5</b>	4.2-10.2 M5-M12	165

Continued on next page...



XX

WORLD CLASS CUTTING TOOLS

Note: Red denotes Somta Premium Products



# INDEX

## THREADING TOOLS... from previous page




PRODUCT	SPEC.	CODE TYPE	RANGE	PAGE
<b>Drill and Tap Sets in Metal Index Cases - HSS</b> For hand or machine tapping of through or blind holes.	-	598	-	166
<b>Combination Drill and Tap Metric Coarse - HSS</b> For tapping and drilling.	-	5DT	M3-M10	166
<b>Somta Tapping, Reaming and Drilling Fluid</b>	-	5AU	-	166



T H R E A D I N G T O O L S



## Short Hand Taps



Code
<b>501</b>

Properties		
<b>M</b>	<b>ISO 529</b>	<b>HSS</b>
	<b>ISO 2 6H</b>	<b>STRAIGHT FLUTE</b>


Suited Materials
<b>GENERAL</b>

Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
							Tap Set	Taper	Second	Bottom
M1	0.25	38.5	5.5	2.5	2	3	5010100	5010101	5010102	5010103
M1.1	0.25	38.5	5.5	2.5	2	3	5010110	5010111	5010112	5010113
M1.2	0.25	38.5	5.5	2.5	2	3	5010120	5010121	5010122	5010123
M1.4	0.3	40	7	2.5	2	3	5010140	5010141	5010142	5010143
M1.6	0.35	41	8	2.5	2	3	5010160	5010161	5010162	5010163
M1.8	0.35	41	8	2.5	2	3	5010180	5010181	5010182	5010183
M2	0.4	41	8	2.5	2	3	5010200	5010201	5010202	5010203
M2.2	0.45	44.5	9.5	2.8	2.24	3	5010220	5010221	5010222	5010223
M2.5	0.45	44.5	9.5	2.8	2.24	3	5010250	5010251	5010252	5010253
M3	0.5	48	11	3.15	2.5	3	5010300	5010301	5010302	5010303
M3.5	0.6	50	13	3.55	2.8	3	5010350	5010351	5010352	5010353
M4	0.7	53	13	4.0	3.15	3	5010400	5010401	5010402	5010403
M4.5	0.75	53	13	4.5	3.55	3	5010450	5010451	5010452	5010453
M5	0.8	58	16	5.0	4	3	5010500	5010501	5010502	5010503
M6	1.0	66	19	6.3	5	3	5010600	5010601	5010602	5010603
M7	1.0	66	19	7.1	5.6	4	5010700	5010701	5010702	5010703
M8	1.25	72	22	8.0	6.3	4	5010800	5010801	5010802	5010803
M9	1.25	72	22	9.0	7.1	4	5010900	5010901	5010902	5010903
M10	1.5	80	24	10.0	8	4	5011000	5011001	5011002	5011003
M11	1.5	85	25	8	6.3	4	5011100	5011101	5011102	5011103
M12	1.75	89	29	9.0	7.1	4	5011200	5011201	5011202	5011203
M14	2.0	95	30	11.2	9	4	5011400	5011401	5011402	5011403
M16	2.0	102	32	12.5	10	4	5011600	5011601	5011602	5011603
M18	2.5	112	37	14.0	11.2	4	5011800	5011801	5011802	5011803
M20	2.5	112	37	14	11.2	4	5012000	5012001	5012002	5012003
M22	2.5	118	38	16	12.5	4	5012200	5012201	5012202	5012203
M24	3.0	130	45	18	14	4	5012400	5012401	5012402	5012403
M27	3.0	135	45	20	16	4	5012700	5012701	5012702	5012703
M30	3.5	138	48	20	16	4	5013000	5013001	5013002	5013003
M33	3.5	151	51	22.4	18	4	5013300	5013301	5013302	5013303
M36	4.0	162	57	25	20	4	5013600	5013601	5013602	5013603
M39	4.0	170	60	28	22.4	6	5013900	5013901	5013902	5013903
M42	4.5	170	60	28	22.4	6	5014200	5014201	5014202	5014203
M45	4.5	187	67	31.5	25	6	5014500	5014501	5014502	5014503
M48	5.0	187	67	31.5	25	6	5014800	5014801	5014802	5014803
M52	5.0	200	70	35.5	28	6	5015200	5015201	5015202	5015203
M56	5.5	200	70	35.5	28	6	5015600	5015601	5015602	5015603
M60	5.5	221	76	40	31.5	6	5016000	5016001	5016002	5016003
M64	6.0	224	79	40	31.5	6	5016400	5016401	5016402	5016403
M68	6.0	234	79	45	35.5	8	5016800	5016801	5016802	5016803



THREADING TOOLS

# Left Hand Short Hand Taps



Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
							Tap Set	Taper	Second	Bottom
M3	0.5	48	11	3.15	2.5	3	5190300	5190301	5190302	5190303
M4	0.7	53	13	4	3.15	3	5190400	5190401	5190402	5190403
M5	0.8	58	16	5	4	3	5190500	5190501	5190502	5190503
M6	1	66	19	6.3	5	3	5190600	5190601	5190602	5190603
M8	1.25	72	22	8	6.3	4	5190800	5190801	5190802	5190803
M10	1.5	80	24	10	8	4	5191000	5191001	5191002	5191003
M12	1.75	89	29	9	7.1	4	5191200	5191201	5191202	5191203
M14	2	95	30	11.2	9	4	5191400	5191401	5191402	5191403
M16	2	102	32	12.5	10	4	5191600	5191601	5191602	5191603
M18	2.5	112	37	14	11.2	4	5191800	5191801	5191802	5191803
M20	2.5	112	37	14	11.2	4	5192000	5192001	5192002	5192003
M22	2.5	118	38	16	12.5	4	5192200	5192201	5192202	5192203
M24	3	130	45	18	14	4	5192400	5192401	5192402	5192403
M27	3	135	45	20	16	4	-	-	5192702	-
M30	3.5	138	48	20	16	4	-	-	5193002	-
M33	3.5	151	51	22.4	18	4	-	-	5193302	-
M36	4	162	57	25	20	4	-	-	5193602	-

Code  
**519**

Properties

M	ISO 529	HSS
	ISO 2 6H	STRAIGHT FLUTE


Suited Materials  
**GENERAL**



THREADING TOOLS



# Serial Hand Taps



Code  
**518**

Properties

<b>M</b>	<b>DIN 352</b>	<b>HSSE V3</b>
	<b>ISO 2 6H</b>	<b>STRAIGHT FLUTE</b>


Suited Materials  
**GENERAL**

Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
							Tap Set	Rougher	Intermediate	Finisher
<b>M3</b>	0.5	40	11	3.5	2.7	3	5180300	5180301	5180302	5180303
<b>M3.5</b>	0.6	45	13	4	3	3	5180350	5180351	5180352	5180353
<b>M4</b>	0.7	45	13	4.5	3.4	3	5180400	5180401	5180402	5180403
<b>M4.5</b>	0.75	50	16	6	4.9	3	5180450	5180451	5180452	5180453
<b>M5</b>	0.8	50	16	6	4.9	3	5180500	5180501	5180502	5180503
<b>M6</b>	1	50	19	6	4.9	3	5180600	5180601	5180602	5180603
<b>M7</b>	1	50	19	6	4.9	4	5180700	5180701	5180702	5180703
<b>M8</b>	1.25	56	22	6	4.9	4	5180800	5180801	5180802	5180803
<b>M9</b>	1.25	63	22	7	5.5	4	5180900	5180901	5180902	5180903
<b>M10</b>	1.5	70	24	7	5.5	4	5181000	5181001	5181002	5181003
<b>M12</b>	1.75	75	29	9	7	4	5181200	5181201	5181202	5181203
<b>M14</b>	2	80	30	11	9	4	5181400	5181401	5181402	5181403
<b>M16</b>	2	80	32	12	9	4	5181600	5181601	5181602	5181603
<b>M18</b>	2.5	95	40	14	11	4	5181800	5181801	5181802	5181803
<b>M20</b>	2.5	95	40	16	12	4	5182000	5182001	5182002	5182003
<b>M22</b>	2.5	100	40	18	14.5	4	5182200	5182201	5182202	5182203
<b>M24</b>	3	110	50	18	14.5	4	5182400	5182401	5182402	5182403



THREADING TOOLS

# Gun Nose Short Machine Taps



Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M2	0.4	41	8	2.5	2	3	5080200
M3	0.5	48	11	3.15	2.5	3	5080300
M3.5	0.6	50	13	3.55	2.8	3	5080350
M4	0.7	53	13	4.0	3.15	3	5080400
M5	0.8	58	16	5.0	4	3	5080500
M6	1.0	66	19	6.3	5	3	5080600
M7	1.0	66	19	7.1	5.6	3	5080700
M8	1.25	72	22	8.0	6.3	3	5080800
M9	1.25	72	22	9.0	7.1	3	5080900
M10	1.5	80	24	10.0	8	3	5081000
M11	1.5	85	25	8.0	6.3	3	5081100
M12	1.75	89	29	9.0	7.1	3	5081200
M14	2.0	95	30	11.2	9	3	5081400
M16	2.0	102	32	12.5	10	4	5081600
M18	2.5	112	37	14.0	11.2	4	5081800
M20	2.5	112	37	14.0	11.2	4	5082000
M22	2.5	118	38	16.0	12.5	4	5082200
M24	3.0	130	45	18.0	14	4	5082400
M27	3.0	135	45	20.0	16	4	5082700
M30	3.5	138	48	20.0	16	4	5083000
M33	3.5	151	51	22.4	18	4	5083300
M36	4.0	162	57	25.0	20	4	5083600

Code  
**508**

Properties

M	ISO 529	HSSE V3
	ISO 2 6H	GUN NOSE SPIRAL POINT

Suited Materials  
**GENERAL**







THREADING TOOLS




## Spiral Flute Short Machine Taps

Code
<b>509</b>





Properties		
<b>M</b>	<b>ISO 529</b>	<b>HSSE V3</b>
	<b>ISO 2 6H</b>	
		

Suited Materials
<b>GENERAL</b>




Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M3	0.5	48	11	3.15	2.5	3	5090300
M3.5	0.6	50	13	3.55	2.8	3	5090350
M4	0.7	53	13	4.0	3.15	3	5090400
M5	0.8	58	16	5.0	4	3	5090500
M6	1.0	66	19	6.3	5	3	5090600
M7	1.0	66	19	7.1	5.6	3	5090700
M8	1.25	72	22	8.0	6.3	3	5090800
M9	1.25	72	22	9.0	7.1	3	5090900
M10	1.5	80	24	10.0	8	3	5091000
M11	1.5	85	25	8.0	6.3	3	5091100
M12	1.75	89	29	9.0	7.1	3	5091200
M14	2.0	95	30	11.2	9	3	5091400
M16	2.0	102	32	12.5	10	3	5091600
M18	2.5	112	37	14.0	11.2	4	5091800
M20	2.5	112	37	14.0	11.2	4	5092000
M22	2.5	118	38	16.0	12.5	4	5092200
M24	3.0	130	45	18.0	14	4	5092400

Code
<b>510</b>

Properties		
<b>M</b>	<b>ISO 529</b>	<b>HSSE V3</b>
	<b>ISO 2 6H</b>	
		

Suited Materials
<b>GENERAL</b>




Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M3	0.5	48	11	3.15	2.5	3	5100300
M3.5	0.6	50	13	3.55	2.8	3	5100350
M4	0.7	53	13	4.0	3.15	3	5100400
M5	0.8	58	16	5.0	4	3	5100500
M6	1.0	66	19	6.3	5	3	5100600
M7	1.0	66	19	7.1	5.6	3	5100700
M8	1.25	72	22	8.0	6.3	3	5100800
M9	1.25	72	22	9.0	7.1	3	5100900
M10	1.5	80	24	10.0	8	3	5101000
M11	1.5	85	25	8.0	6.3	3	5101100
M12	1.75	89	29	9.0	7.1	3	5101200
M14	2.0	95	30	11.2	9	3	5101400
M16	2.0	102	32	12.5	10	3	5101600
M18	2.5	112	37	14.0	11.2	4	5101800
M20	2.5	112	37	14.0	11.2	4	5102000
M22	2.5	118	38	16.0	12.5	4	5102200
M24	3.0	130	45	18.0	14	4	5102400



THREADING TOOLS



## Yellow Band Gun Nose Taps for tapping Aluminium



Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M3	0.5	56	11	3.5	2.7	2	5380300
M4	0.7	63	13	4.5	3.4	2	5380400
M5	0.8	70	16	6	4.9	2	5380500
M6	1.0	80	19	6	4.9	2	5380600
M8	1.25	90	22	8	6.2	2	5380800
M10	1.5	100	24	10	8	3	5381000

Code

**538**

Properties


<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		<b>GUN NOSE SPIRAL POINT</b>
<b>CBA</b>		
		<b>BRIGHT FINISH</b>

Suited Materials

ALUMINIUM COPPER SOFT BRASS

FREE CUTTING STEEL

## Yellow Band Gun Nose Taps for tapping Aluminium



Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M12	1.75	110	29	9	7	3	5481200
M14	2	110	30	11	9	3	5481400
M16	2	110	32	12	9	3	5481600
M18	2.5	125	34	14	11	3	5481800
M20	2.5	140	34	16	12	3	5482000
M22	2.5	140	34	18	14.5	3	5482200
M24	3	160	38	18	14.5	3	5482400

Code

**548**

Properties

<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		<b>GUN NOSE SPIRAL POINT</b>
<b>CBA</b>		
		<b>BRIGHT FINISH</b>

Suited Materials

ALUMINIUM COPPER SOFT BRASS

FREE CUTTING STEEL



THREADING TOOLS



## Yellow Band Spiral Flute Taps for tapping Aluminium

Code


**558**

Properties

<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		
	<b>BRIGHT FINISH</b>	

Suited Materials

ALUMINIUM	COPPER	SOFT BRASS
FREE CUTTING STEEL		



Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M3	0.5	56	5	3.5	2.7	2	5580300
M4	0.7	63	7	4.5	3.4	2	5580400
M5	0.8	70	8	6	4.9	2	5580500
M6	1.0	80	10	6	4.9	2	5580600
M8	1.25	90	12.5	8	6.2	2	5580800
M10	1.5	100	15	10	8	3	5581000

Code


**569**

Properties

<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		
	<b>BRIGHT FINISH</b>	

Suited Materials

ALUMINIUM	COPPER	SOFT BRASS
FREE CUTTING STEEL		




## Yellow Band Spiral Flute Taps for tapping Aluminium

Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M12	1.75	110	17.5	9	7	3	5691200
M14	2	110	20	11	9	3	5691400
M16	2	110	20	12	9	3	5691600
M18	2.5	125	25	14	11	3	5691800
M20	2.5	140	25	16	12	3	5692000
M22	2.5	140	25	18	14.5	3	5692200
M24	3	160	30	18	14.5	3	5692400



THREADING  
TOOLS

# Yellow Band Fluteless Taps for threading Aluminium



Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	Code
M3	0.5	56	11	3.5	2.7	5120300
M4	0.7	63	13	4.5	3.4	5120400
M5	0.8	70	16	6	4.9	5120500
M6	1.0	80	19	6	4.9	5120600
M8	1.25	90	22	8	6.2	5120800
M10	1.5	100	24	10	8	5121000
*M12	1.75	110	29	9	7	5121200

\* DIN 376

Code

**512**

Properties

M	DIN 371	HSSE V3
6HX		FLUTELESS
CBA		TiN

Suited Materials


ALUMINIUM	COPPER	SOFT BRASS
FREE CUTTING STEEL		



THREADING TOOLS



## Blue Band Gun Nose Taps for tapping Stainless Steel



Code
<b>539</b>


Properties		
<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		<b>GUN NOSE</b> <small>SPIRAL POINT</small>
<b>CBA</b>		
		<b>TIAN</b>

Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M3	0.5	56	11	3.5	2.7	3	5390300
M4	0.7	63	13	4.5	3.4	3	5390400
M5	0.8	70	16	6	4.9	3	5390500
M6	1.0	80	19	6	4.9	3	5390600
M8	1.25	90	22	8	6.2	3	5390800
M10	1.5	100	24	10	8	3	5391000

Suited Materials	
STAINLESS STEEL	TITANIUM ALLOYS
HEAT TREATABLE STEEL	

Code
<b>549</b>

## Blue Band Gun Nose Taps for tapping Stainless Steel



Properties		
<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		<b>GUN NOSE</b> <small>SPIRAL POINT</small>
<b>CBA</b>		
		<b>TIAN</b>


Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M12	1.75	110	29	9	7	3	5491200
M14	2	110	30	11	9	3	5491400
M16	2	110	32	12	9	3	5491600
M18	2.5	125	34	14	11	4	5491800
M20	2.5	140	34	16	12	4	5492000
M22	2.5	140	34	18	14.5	4	5492200
M24	3	160	38	18	14.5	4	5492400

Suited Materials	
STAINLESS STEEL	TITANIUM ALLOYS
HEAT TREATABLE STEEL	



THREADING TOOLS

## Blue Band Spiral Flute Taps for tapping Stainless Steel




Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M3	0.5	56	5	3.5	2.7	3	5590300
M4	0.7	63	7	4.5	3.4	3	5590400
M5	0.8	70	8	6	4.9	3	5590500
M6	1.0	80	10	6	4.9	3	5590600
M8	1.25	90	12.5	8	6.2	3	5590800
M10	1.5	100	15	10	8	3	5591000

Code
<b>559</b>

Properties		
<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		<b>TIAIN</b>

Suited Materials	
STAINLESS STEEL	TITANIUM ALLOYS
HEAT TREATABLE STEEL	

## Blue Band Spiral Flute Taps for tapping Stainless Steel



Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M12	1.75	110	17.5	9	7	3	5701200
M14	2	110	20	11	9	3	5701400
M16	2	110	20	12	9	3	5701600
M18	2.5	125	25	14	11	3	5701800
M20	2.5	140	25	16	12	3	5702000
M22	2.5	140	25	18	14.5	3	5702200
M24	3	160	30	18	14.5	4	5702400

Code
<b>570</b>

Properties		
<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		<b>TIAIN</b>


Suited Materials	
STAINLESS STEEL	TITANIUM ALLOYS
HEAT TREATABLE STEEL	



THREADING TOOLS



## Red Band Gun Nose Taps for tapping Tough Treatable Steels



Code
<b>540</b>


Properties		
<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
<b>ISO 2 6H</b>		<b>GUN NOSE SPIRAL POINT</b>
<b>CBA</b>		<b>TIAIN</b>

Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
<b>M3</b>	0.5	56	11	3.5	2.7	3	5400300
<b>M4</b>	0.7	63	13	4.5	3.4	3	5400400
<b>M5</b>	0.8	70	16	6	4.9	3	5400500
<b>M6</b>	1.0	80	19	6	4.9	3	5400600
<b>M8</b>	1.25	90	22	8	6.2	3	5400800
<b>M10</b>	1.5	100	24	10	8	4	5401000

Suited Materials	
<b>TOUGH TREATABLE STEEL</b>	
TOOL STEEL (ALLOY)	TITANIUM

Code
<b>550</b>

## Red Band Gun Nose Taps for tapping Tough Treatable Steels



Properties		
<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
<b>ISO 2 6H</b>		<b>GUN NOSE SPIRAL POINT</b>
<b>CBA</b>		<b>TIAIN</b>


Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
<b>M12</b>	1.75	110	29	9	7	4	5501200
<b>M14</b>	2	110	30	11	9	4	5501400
<b>M16</b>	2	110	32	12	9	4	5501600
<b>M18</b>	2.5	125	34	14	11	4	5501800
<b>M20</b>	2.5	140	34	16	12	4	5502000
<b>M22</b>	2.5	140	34	18	14.5	4	5502200
<b>M24</b>	3	160	38	18	14.5	4	5502400

Suited Materials	
<b>TOUGH TREATABLE STEEL</b>	
TOOL STEEL (ALLOY)	TITANIUM



THREADING TOOLS

## Red Band Spiral Flute Taps for tapping Tough Treatable Steels




Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M3	0.5	56	5	3.5	2.7	3	5640300
M4	0.7	63	7	4.5	3.4	3	5640400
M5	0.8	70	8	6	4.9	3	5640500
M6	1.0	80	10	6	4.9	3	5640600
M8	1.25	90	12.5	8	6.2	3	5640800
M10	1.5	100	15	10	8	4	5641000

Code
<b>564</b>

Properties		
<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		<b>TIAIN</b>

Suited Materials	
<b>TOUGH TREATABLE STEEL</b>	
TOOL STEEL (ALLOY)	TITANIUM

## Red Band Spiral Flute Taps for tapping Tough Treatable Steels



Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M12	1.75	110	17.5	9	7	4	5761200
M14	2	110	20	11	9	4	5761400
M16	2	110	20	12	9	4	5761600
M18	2.5	125	25	14	11	4	5761800
M20	2.5	140	25	16	12	4	5762000
M22	2.5	140	25	18	14.5	4	5762200
M24	3	160	30	18	14.5	4	5762400

Code
<b>576</b>

Properties		
<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		<b>TIAIN</b>

Suited Materials	
<b>TOUGH TREATABLE STEEL</b>	
TOOL STEEL (ALLOY)	TITANIUM



**THREADING TOOLS**





## White Band Spiral Flute Taps for tapping Cast Iron

Code


**578**

Properties

<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		
		<b>TIAIN</b>

Suited Materials

**CAST IRON**



Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code
M3	0.5	56	11	3.5	2.7	3	5780300
M4	0.7	63	13	4.5	3.4	3	5780400
M5	0.8	70	16	6.0	4.9	3	5780500
M6	1.0	80	19	6.0	4.9	3	5780600
M8	1.25	90	22	8.0	6.2	3	5780800
M10	1.5	100	24	10.0	8	4	5781000

Code

**579**


Properties

<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		
		<b>TIAIN</b>

Suited Materials

**CAST IRON**

## White Band Spiral Flute Taps for tapping Cast Iron




Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code
M12	1.75	110	20	9	7	4	5791200
M14	2	110	20	11	9	4	5791400
M16	2	110	20	12	9	4	5791600
M18	2.5	125	20	14	11	4	5791800
M20	2.5	140	20	16	12	4	5792000
M22	2.5	140	20	18	14.5	4	5792200
M24	3	160	30	18	14.5	4	5792400



THREADING TOOLS

## Green Band Gun Nose Taps for tapping Carbon Steels




Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M3	0.5	56	11	3.5	2.7	3	5610300
M4	0.7	63	13	4.5	3.4	3	5610400
M5	0.8	70	16	6.0	4.9	3	5610500
M6	1.0	80	19	6.0	4.9	3	5610600
M7	1.0	80	19	7.0	5.5	3	5610700
M8	1.25	90	22	8.0	6.2	3	5610800
M10	1.5	100	24	10.0	8	3	5611000

Code
<b>561</b>

Properties		
<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		<b>GUN NOSE SPIRAL POINT</b>
<b>CBA</b>		
		<b>TIN</b>

Suited Materials		
<b>CARBON STEEL</b>	CAST IRON	COPPER
FREE CUTTING STEEL		

## Green Band Gun Nose Taps for tapping Carbon Steels



Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M3.5	0.6	56	13	2.5	2.1	3	5660350
M4	0.7	63	13	2.8	2.1	3	5660400
M5	0.8	70	16	3.5	2.7	3	5660500
M6	1.0	80	19	4.5	3.4	3	5660600
M8	1.25	90	22	6.0	4.9	3	5660800
M10	1.5	100	24	7.0	5.5	3	5661000
M12	1.75	110	29	9.0	7	3	5661200
M14	2.0	110	30	11.0	9	3	5661400
M16	2.0	110	32	12.0	9	4	5661600
M18	2.5	125	34	14.0	11	4	5661800
M20	2.5	140	34	16.0	12	4	5662000
M22	2.5	140	34	18.0	14.5	4	5662200
M24	3.0	160	38	18.0	14.5	4	5662400

Code
<b>566</b>

Properties		
<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		<b>GUN NOSE SPIRAL POINT</b>
<b>CBA</b>		
		<b>TIN</b>


Suited Materials		
<b>CARBON STEEL</b>	CAST IRON	COPPER
FREE CUTTING STEEL		



THREADING TOOLS



## Green Band Spiral Flute Taps for tapping Carbon Steels



Code
<b>562</b>


Properties		
<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		
		<b>TiN</b>

Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M3	0.5	56	11	3.5	2.7	3	5620300
M4	0.7	63	13	4.5	3.4	3	5620400
M5	0.8	70	16	6.0	4.9	3	5620500
M6	1.0	80	19	6.0	4.9	3	5620600
M7	1.0	80	19	7.0	5.5	3	5620700
M8	1.25	90	22	8.0	6.2	3	5620800
M10	1.5	100	24	10.0	8	3	5621000

Suited Materials		
CARBON STEEL	CAST IRON	COPPER
FREE CUTTING STEEL		

Code
<b>567</b>

## Green Band Spiral Flute Taps for tapping Carbon Steels



Properties		
<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		
		<b>TiN</b>


Size	Pitch	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
M3.5	0.6	56	13	2.5	2.1	3	5670350
M4	0.7	63	13	2.8	2.1	3	5670400
M5	0.8	70	16	3.5	2.7	3	5670500
M6	1.0	80	19	4.5	3.4	3	5670600
M8	1.25	90	22	6.0	4.9	3	5670800
M10	1.5	100	24	7.0	5.5	3	5671000
M12	1.75	110	29	9.0	7	3	5671200
M14	2.0	110	30	11.0	9	3	5671400
M16	2.0	110	32	12.0	9	3	5671600
M18	2.5	125	34	14.0	11	4	5671800
M20	2.5	140	34	16.0	12	4	5672000
M22	2.5	140	34	18.0	14.5	4	5672200
M24	3.0	160	38	18.0	14.5	4	5672400

Suited Materials		
CARBON STEEL	CAST IRON	COPPER
FREE CUTTING STEEL		



THREADING TOOLS

## Green Band Spiral Flute Taps for tapping Carbon Steels




Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M3	0.5	56	5	3.5	2.7	3	5630300
M4	0.7	63	7	4.5	3.4	3	5630400
M5	0.8	70	8	6.0	4.9	3	5630500
M6	1.0	80	10	6.0	4.9	3	5630600
M7	1.0	80	10	7.0	5.5	3	5630700
M8	1.25	90	12.5	8.0	6.2	3	5630800
M10	1.5	100	15	10.0	8	3	5631000

Code
<b>563</b>

Properties		
<b>M</b>	<b>DIN 371</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		<b>TIN</b>

Suited Materials		
<b>CARBON STEEL</b>	CAST IRON	COPPER
FREE CUTTING STEEL		

## Green Band Spiral Flute Taps for tapping Carbon Steels



Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
M3.5	0.6	56	6	2.5	2.1	3	5680350
M4	0.7	63	7	2.8	2.1	3	5680400
M5	0.8	70	8	3.5	2.7	3	5680500
M6	1.0	80	10	4.5	3.4	3	5680600
M8	1.25	90	12.5	6.0	4.9	3	5680800
M10	1.5	100	15	7.0	5.5	3	5681000
M12	1.75	110	17.5	9.0	7	3	5681200
M14	2.0	110	20	11.0	9	3	5681400
M16	2.0	110	20	12.0	9	3	5681600
M18	2.5	125	25	14.0	11	4	5681800
M20	2.5	140	25	16.0	12	4	5682000
M22	2.5	140	25	18.0	14.5	4	5682200
M24	3.0	160	30	18.0	14.5	4	5682400

Code
<b>568</b>

Properties		
<b>M</b>	<b>DIN 376</b>	<b>HSSE V3</b>
ISO 2 6H		
<b>CBA</b>		<b>TIN</b>


Suited Materials		
<b>CARBON STEEL</b>	CAST IRON	COPPER
FREE CUTTING STEEL		



THREADING TOOLS



# Short Hand Taps



Code  
**511**

Properties

<b>MF</b>	<b>ISO 529</b>	<b>HSS</b>
	<b>ISO 2 6H</b>	<b>STRAIGHT FLUTE</b>

Suited Materials  
**GENERAL**

Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code		
							Tap Set	Taper	Bottom
<b>MF3</b>	0.35	48	11	3.15	2.5	3	5110300	5110301	5110303
<b>MF4</b>	0.5	53	13	4.0	3.15	3	5110400	5110401	5110403
<b>MF4.5</b>	0.5	53	13	4.5	3.55	3	5110450	5110451	5110453
<b>MF5</b>	0.5	58	16	5.0	4	3	5110500	5110501	5110503
<b>MF5</b>	0.75	58	16	5.0	4	3	5110510	5110511	5110513
<b>MF5.5</b>	0.5	62	17	5.6	4.5	3	5110550	5110551	5110553
<b>MF6</b>	0.75	66	19	6.3	5	3	5110600	5110601	5110603
<b>MF7</b>	0.75	66	19	7.1	5.6	4	5110700	5110701	5110703
<b>MF8</b>	0.75	69	19	8.0	6.3	4	5110790	5110791	5110793
<b>MF8</b>	1.0	69	19	8.0	6.3	4	5110800	5110801	5110803
<b>MF9</b>	0.75	69	19	9.0	7.1	4	5110890	5110891	5110893
<b>MF9</b>	1.0	69	19	9.0	7.1	4	5110900	5110901	5110903
<b>MF10</b>	0.75	76	20	10.0	8	4	5110990	5110991	5110993
<b>#MF10</b>	1.0	76	20	10.0	8	4	5111000	5111001	5111003
<b>MF10</b>	1.25	76	20	10.0	8	4	5111010	5111011	5111013
<b>MF11</b>	1.0	82	22	8.0	6.3	4	5111110	5111111	5111113
<b>MF11</b>	1.25	82	22	8.0	6.3	4	5111120	5111121	5111123
<b>MF12</b>	1.0	84	24	9.0	7.1	4	5111190	5111191	5111193
<b>*MF12</b>	1.25	84	24	9.0	7.1	4	5111200	5111201	5111203
<b>MF12</b>	1.5	89	29	9.0	7.1	4	5111210	5111211	5111213
<b>MF14</b>	1.0	90	25	11.2	9	4	5111390	5111391	5111393
<b>*MF14</b>	1.25	90	25	11.2	9	4	5111400	5111401	5111403
<b>MF14</b>	1.5	95	30	11.2	9	4	5111410	5111411	5111413
<b>MF15</b>	1.0	95	30	11.2	9	4	5111490	5111491	5111493
<b>MF15</b>	1.5	95	30	11.2	9	4	5111500	5111501	5111503
<b>MF16</b>	1.0	95	25	12.5	10	4	5111590	5111591	5111593
<b>#MF16</b>	1.5	102	32	12.5	10	4	5111600	5111601	5111603
<b>MF17</b>	1.5	102	32	12.5	10	4	5111700	5111701	5111703
<b>MF18</b>	1.0	104	29	14.0	11.2	4	5111780	5111781	5111783
<b>MF18</b>	1.25	104	29	14	11.2	4	5111790	5111791	5111793
<b>*MF18</b>	1.5	104	29	14	11.2	4	5111800	5111801	5111803
<b>MF18</b>	2.0	112	37	14	11.2	4	5111810	5111811	5111813
<b>MF20</b>	1.0	104	29	14	11.2	4	5111990	5111991	5111993
<b>#MF20</b>	1.5	104	29	14	11.2	4	5112000	5112001	5112003
<b>MF20</b>	2.0	112	37	14	11.2	4	5112010	5112011	5112013
<b>MF22</b>	1.0	113	33	16	12.5	4	5112190	5112191	5112193
<b>MF22</b>	1.5	113	33	16	12.5	4	5112200	5112201	5112203
<b>MF22</b>	2.0	118	38	16	12.5	4	5112210	5112211	5112213
<b>MF24</b>	1.0	120	35	18	14	4	5112390	5112391	5112393
<b>MF24</b>	1.5	120	35	18	14	4	5112400	5112401	5112403
<b>MF24</b>	2.0	120	35	18	14	4	5112410	5112411	5112413
<b>MF25</b>	1.0	120	35	18	14	4	5112490	5112491	5112493
<b>#MF25</b>	1.5	120	35	18	14	4	5112500	5112501	5112503
<b>MF25</b>	2.0	120	35	18	14	4	5112510	5112511	5112513
<b>MF27</b>	1.5	127	37	20	16	4	5112700	5112701	5112703
<b>MF27</b>	2.0	127	37	20	16	4	5112710	5112711	5112713
<b>MF28</b>	1.5	127	37	20	16	4	5112800	5112801	5112803




THREADING TOOLS

\* Spark Plug  
# Conduit

Continued on next page...

# Short Hand Taps



Size	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code		
							Tap Set	Taper	Bottom
... from previous page									
MF28	2.0	127	37	20	16	4	5112810	5112811	5112813
MF30	1.0	127	37	20	16	4	5112990	5112991	5112993
MF30	1.5	127	37	20	16	4	5113000	5113001	5113003
MF30	2.0	127	37	20	16	4	5113010	5113011	5113013
MF30	3.0	138	48	20	16	4	5113020	5113021	5113023
#MF32	1.5	137	37	22.4	18	4	5113200	5113201	5113203
MF32	2.0	137	37	22.4	18	4	5113210	5113211	5113213
MF33	1.5	137	37	22.4	18	4	5113300	5113301	5113303
MF33	2.0	137	37	22.4	18	4	5113310	5113311	5113313
MF33	3.0	151	51	22.4	18	4	5113320	5113321	5113323
MF35	1.5	144	39	25.0	20	4	5113500	5113501	5113503
MF36	1.5	144	39	25.0	20	4	5113600	5113601	5113603
MF36	2.0	144	39	25.0	20	4	5113610	5113611	5113613
MF36	3.0	162	57	25.0	20	4	5113620	5113621	5113623
MF38	1.5	149	39	28	22.4	6	5113810	5113811	5113813
MF38	2.0	149	39	28	22.4	6	5113820	5113821	5113823
MF39	1.5	149	39	28	22.4	6	5113900	5113901	5113903
MF39	2.0	149	39	28	22.4	6	5113910	5113911	5113913
MF39	3.0	170	60	28	22.4	6	5113920	5113921	5113923
MF40	2.0	149	39	28	22.4	6	5114010	5114011	5114013
MF40	3.0	170	60	28	22.4	6	5114020	5114021	5114023
MF42	1.5	149	39	28	22.4	6	5114200	5114201	5114203
MF42	2.0	149	39	28	22.4	6	5114210	5114211	5114213
MF42	3.0	170	60	28	22.4	6	5114220	5114221	5114223
MF42	4.0	170	60	28	22.4	6	5114230	5114231	5114233
MF45	1.5	165	45	31.5	25	6	5114500	5114501	5114503
MF45	2.0	165	45	31.5	25	6	5114510	5114511	5114513
MF45	3.0	187	67	31.5	25	6	5114520	5114521	5114523
MF48	1.5	165	45	31.5	25	6	5114800	5114801	5114803
MF48	2.0	165	45	31.5	25	6	5114810	5114811	5114813
MF48	3.0	187	67	31.5	25	6	5114820	5114821	5114823
MF48	4.0	187	67	31.5	25	6	5114830	5114831	5114833
MF50	3.0	187	67	31.5	25	6	5115020	5115021	5115023
MF52	2.0	175	45	35.5	28	6	5115210	5115211	5115213
MF52	3.0	200	70	35.5	28	6	5115220	5115221	5115223
MF52	4.0	200	70	35.5	28	6	5115230	5115231	5115233

\* Spark Plug  
# Conduit

Code  
**511**

Properties

MF	ISO 529	HSS
	ISO 2 6H	STRAIGHT FLUTE

Suited Materials  
**GENERAL**



THREADING TOOLS



## Gun Nose Short Machine Taps

Code

**515**

Properties

**MF**

**ISO 529**

**HSSE V3**



**ISO 2 6H**


**GUN NOSE SPIRAL POINT**



**RH**

Suited Materials

**GENERAL**




Size	Pitch	$l_1$	$l_2$	$d_1$	$a$	No. of Flutes	Code
MF4	0.5	53	13	4	3.15	3	5150400
MF5	0.75	58	16	5	4	3	5150500
MF6	0.75	66	19	6.3	5	3	5150600
MF8	1.0	69	19	8	6.3	3	5150800
MF9	1.0	69	19	9	7.1	3	5150900
MF10	1.0	76	20	10	8	3	5151000
MF10	1.25	76	20	10	8	3	5151010
MF12	1.0	84	24	9	7.1	3	5151190
MF12	1.25	84	24	9	7.1	3	5151200
MF12	1.5	89	29	9	7.1	3	5151210
MF14	1.0	90	25	11.2	9	3	5151390
MF14	1.25	90	25	11.2	9	3	5151400
MF14	1.5	95	30	11.2	9	3	5151410
MF16	1.5	102	32	12.5	10	4	5151600
MF18	1.5	104	29	14	11.2	4	5151800
MF20	1.5	104	29	14	11.2	4	5152000
MF22	1.5	113	33	16	12.5	4	5152200
MF24	1.5	120	35	18	14	4	5152400



**THREADING TOOLS**



# Short Hand Taps



Code  
**521**

Size	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
							Tap Set	Taper	Second	Bottom
1/16	60	41	8	2.5	2	3	5210160	5210161	5210162	5210163
3/32	48	44.5	9.5	2.8	2.24	3	5210240	5210241	5210242	5210243
1/8	40	48	11	3.15	2.5	3	5210320	5210321	5210322	5210323
5/32	32	53	13	4	3.15	3	5210400	5210401	5210402	5210403
3/16	24	58	16	5	4	3	5210480	5210481	5210482	5210483
1/4	20	66	19	6.3	5	3	5210640	5210641	5210642	5210643
5/16	18	72	22	8	6.3	4	5210790	5210791	5210792	5210793
3/8	16	80	24	10	8	4	5210950	5210951	5210952	5210953
7/16	14	85	25	8	6.3	4	5211110	5211111	5211112	5211113
1/2	12	89	29	9	7.1	4	5211270	5211271	5211272	5211273
9/16	12	95	30	11.2	9	4	5211430	5211431	5211432	5211433
5/8	11	102	32	12.5	10	4	5211590	5211591	5211592	5211593
3/4	10	112	37	14	11.2	4	5211910	5211911	5211912	5211913
7/8	9	118	38	16	12.5	4	5212220	5212221	5212222	5212223
1"	8	130	45	18	14	4	5212540	5212541	5212542	5212543
1.1/8	7	138	48	20	16	4	5212860	5212861	5212862	5212863
1.1/4	7	151	51	22.4	18	4	5213170	5213171	5213172	5213173
1.1/2	6	170	60	28	22.4	6	5213810	5213811	5213812	5213813
1.3/4	5	187	67	31.5	25	6	5214450	5214451	5214452	5214453
2"	4.5	200	70	35.5	28	6	5215080	5215081	5215082	5215083

Properties

BSW	ISO 529	HSS
	CLASS 2	STRAIGHT FLUTE

Suited Materials  
**GENERAL**



THREADING TOOLS




## Gun Nose Short Machine Taps

Code
<b>526</b>

Properties		
BSW	ISO 529	HSSE V3
	CLASS 2	GUN NOSE SPIRAL POINT

Suited Materials
<b>GENERAL</b>




Size	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code
1/8	40	48	11	3.15	2.5	3	5260320
5/32	32	53	13	4	3.15	3	5260400
3/16	24	58	16	5	4	3	5260480
1/4	20	66	19	6.3	5	3	5260640
5/16	18	72	22	8	6.3	3	5260790
3/8	16	80	24	10	8	3	5260950
7/16	14	85	25	8	6.3	3	5261110
1/2	12	89	29	9	7.1	3	5261270
9/16	12	95	30	11.2	9	3	5261430
5/8	11	102	32	12.5	10	4	5261590
3/4	10	112	37	14	11.2	4	5261910
7/8	9	118	38	16	12.5	4	5262220
1"	8	130	45	18	14	4	5262540

Code
<b>528</b>

Properties		
BSW	ISO 529	HSSE V3
	CLASS 2	35°

Suited Materials
<b>GENERAL</b>

## Spiral Flute Short Machine Taps




Size	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code
1/8	40	48	11	3.15	2.5	3	5280320
5/32	32	53	13	4	3.15	3	5280400
3/16	24	58	16	5	4	3	5280480
1/4	20	66	19	6.3	5	3	5280640
5/16	18	72	22	8	6.3	3	5280790
3/8	16	80	24	10	8	3	5280950
7/16	14	85	25	8	6.3	3	5281110
1/2	12	89	29	9	7.1	3	5281270
9/16	12	95	30	11.2	9	3	5281430
5/8	11	102	32	12.5	10	3	5281590
3/4	10	112	37	14	11.2	4	5281910
7/8	9	118	38	16	12.5	4	5282220
1"	8	130	45	18	14	4	5282540



THREADING TOOLS

# Short Hand Taps



Size	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
							Tap Set	Taper	Second	Bottom
3/16	32	58	16	5	4	3	5310480	5310481	5310482	5310483
1/4	26	66	19	6.3	5	3	5310640	5310641	5310642	5310643
5/16	22	72	22	8	6.3	4	5310790	5310791	5310792	5310793
3/8	20	80	24	10	8	4	5310950	5310951	5310952	5310953
7/16	18	85	25	8	6.3	4	5311110	5311111	5311112	5311113
1/2	16	89	29	9	7.1	4	5311270	5311271	5311272	5311273
9/16	16	95	30	11.2	9	4	5311430	5311431	5311432	5311433
5/8	14	102	32	12.5	10	4	5311590	5311591	5311592	5311593
3/4	12	112	37	14	11.2	4	5311910	5311911	5311912	5311913
7/8	11	118	38	16	12.5	4	5312220	5312221	5312222	5312223
1"	10	130	45	18	14	4	5312540	5312541	5312542	5312543
1.1/8	9	138	48	20	16	4	5312860	5312861	5312862	5312863
1.1/4	9	151	51	22.4	18	4	5313180	5313181	5313182	5313183
1.3/8	8	162	57	25	20	4	5313490	5313491	5313492	5313493
1.1/2	8	170	60	28	22.4	6	5313810	5313811	5313812	5313813
1.5/8	8	170	60	28	22.4	6	5314120	5314121	5314122	5314123
1.3/4	7	187	67	31.5	25	6	5314450	5314451	5314452	5314453
2"	7	200	70	35.5	28	6	5315080	5315081	5315082	5315083

Code  
**531**

Properties

BSF	ISO 529	HSS
	CLASS 2	STRAIGHT FLUTE


Suited Materials  
**GENERAL**



THREADING TOOLS



# Short Hand Taps



Code  
**541**

Properties

UNC	ISO 529	HSS
	ISO 2 2B	STRAIGHT FLUTE


Suited Materials  
**GENERAL**

Size	Nom. Dia.	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
								Tap Set	Taper	Second	Bottom
No.4	2.84	40	48	11	3.15	2.5	3	5410280	5410281	5410282	5410283
No.5	3.18	40	48	11	3.15	2.5	3	5410320	5410321	5410322	5410323
No.6	3.51	32	50	13	3.55	2.8	3	5410350	5410351	5410352	5410353
No.8	4.17	32	53	13	4.5	3.55	3	5410420	5410421	5410422	5410423
No.10	4.83	24	58	16	5	4	3	5410480	5410481	5410482	5410483
No.12	5.49	24	62	17	5.6	4.5	3	5410550	5410551	5410552	5410553
1/4	20	66	19	6.3	5	3	3	5410640	5410641	5410642	5410643
5/16	18	72	22	8	6.3	4	4	5410790	5410791	5410792	5410793
3/8	16	80	24	10	8	4	4	5410950	5410951	5410952	5410953
7/16	14	85	25	8	6.3	4	4	5411110	5411111	5411112	5411113
1/2	13	89	29	9	7.1	4	4	5411270	5411271	5411272	5411273
9/16	12	95	30	11.2	9	4	4	5411430	5411431	5411432	5411433
5/8	11	102	32	12.5	10	4	4	5411590	5411591	5411592	5411593
3/4	10	112	37	14	11.2	4	4	5411910	5411911	5411912	5411913
7/8	9	118	38	16	12.5	4	4	5412220	5412221	5412222	5412223
1"	8	130	45	18	14	4	4	5412540	5412541	5412542	5412543
1.1/8	7	138	48	20	16	4	4	5412860	5412861	5412862	5412863
1.1/4	7	151	51	22.4	18	4	4	5413180	5413181	5413182	5413183
1.3/8	6	162	57	25	20	4	4	5413490	5413491	5413492	5413493
1.1/2	6	170	60	28	22.4	6	6	5413810	5413811	5413812	5413813
1.3/4	5	187	67	31.5	25	6	6	5414450	5414451	5414452	5414453
2"	4.1/2	200	70	35.5	28	6	6	5415080	5415081	5415082	5415083



THREADING TOOLS

## Gun Nose Short Machine Taps



Size	Nominal Dia.	TPI	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
No.6	3.51	32	50	13	3.55	2.8	3	5450350
No.8	4.17	32	53	13	4.5	3.55	3	5450420
No.10	4.83	24	58	16	5	4	3	5450480
No.12	5.49	24	62	17	5.6	4.5	3	5450550
1/4		20	66	19	6.3	5	3	5450640
5/16		18	72	22	8	6.3	3	5450790
3/8		16	80	24	10	8	3	5450950
7/16		14	85	25	8	6.3	3	5451110
1/2		13	89	29	9	7.1	3	5451270
9/16		12	95	30	11.2	9	3	5451430
5/8		11	102	32	12.5	10	4	5451590
3/4		10	112	37	14	11.2	4	5451910
7/8		9	118	38	16	12.5	4	5452220
1"		8	130	45	18	14	4	5452540

Code

**545**


Properties

UNC	ISO 529	HSSE V3
	ISO 2 2B	GUN NOSE SPIRAL POINT

Suited Materials

**GENERAL**

## Spiral Flute Short Machine Taps



Size	Nominal Dia.	TPI	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
No.6	3.51	32	50	13	3.55	2.8	3	5460350
No.8	4.17	32	53	13	4.5	3.55	3	5460420
No.10	4.83	24	58	16	5	4	3	5460480
No.12	5.49	24	62	17	5.6	4.5	3	5460550
1/4		20	66	19	6.3	5	3	5460640
5/16		18	72	22	8	6.3	3	5460790
3/8		16	80	24	10	8	3	5460950
7/16		14	85	25	8	6.3	3	5461110
1/2		13	89	29	9	7.1	3	5461270
9/16		12	95	30	11.2	9	3	5461430
5/8		11	102	32	12.5	10	3	5461590
3/4		10	112	37	14	11.2	4	5461910
7/8		9	118	38	16	12.5	4	5462220
1"		8	130	45	18	14	4	5462540

Code

**546**

Properties

UNC	ISO 529	HSSE V3
	ISO 2 2B	35°

Suited Materials


**GENERAL**



THREADING TOOLS



# Short Hand Taps



Code  
**551**

Properties

UNF	ISO 529	HSS
	ISO 2 2B	STRAIGHT FLUTE


Suited Materials  
**GENERAL**

Size	Nom. Dia.	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
								Tap Set	Taper	Second	Bottom
No.4	2.85	48	48	11	3.15	2.5	3	5510280	5510281	5510282	5510283
No.5	3.18	44	48	11	3.15	2.5	3	5510320	5510321	5510322	5510323
No.6	3.51	40	50	13	3.55	2.8	3	5510350	5510351	5510352	5510353
No.8	4.17	36	53	13	4.5	3.55	3	5510420	5510421	5510422	5510423
No.10	4.83	32	58	16	5	4	3	5510480	5510481	5510482	5510483
No.12	5.49	28	62	17	5.6	4.5	3	5510550	5510551	5510552	5510553
1/4	28	66	19	6.3	5	3	3	5510640	5510641	5510642	5510643
5/16	24	69	19	8	6.3	4	4	5510790	5510791	5510792	5510793
3/8	24	76	20	10	8	4	4	5510950	5510951	5510952	5510953
7/16	20	82	22	8	6.3	4	4	5511110	5511111	5511112	5511113
1/2	20	84	24	9	7.1	4	4	5511270	5511271	5511272	5511273
9/16	18	90	25	11.2	9	4	4	5511430	5511431	5511432	5511433
5/8	18	95	25	12.5	10	4	4	5511590	5511591	5511592	5511593
3/4	16	104	29	14	11.2	4	4	5511910	5511911	5511912	5511913
7/8	14	113	33	16	12.5	4	4	5512220	5512221	5512222	5512223
1"	12	120	35	18	14	4	4	5512540	5512541	5512542	5512543
1.1/8	12	127	37	20	16	4	4	5512860	5512861	5512862	5512863
1.1/4	12	137	37	22.4	18	4	4	5513180	5513181	5513182	5513183
1.3/8	12	144	39	25	20	4	4	5513490	5513491	5513492	5513493
1.1/2	12	149	39	28	22.4	6	6	5513810	5513811	5513812	5513813



THREADING TOOLS

## Gun Nose Short Machine Taps



Size	Nominal Dia.	TPI	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
No.4	2.85	48	48	11	3.15	2.5	3	5550280
No.5	3.18	44	48	11	3.15	2.5	3	5550320
No.6	3.51	40	50	13	3.55	2.8	3	5550350
No.8	4.17	36	53	13	4.5	3.55	3	5550420
No.10	4.83	32	58	16	5	4	3	5550480
No.12	5.49	28	62	17	5.6	4.5	3	5550550
1/4		28	66	19	6.3	5	3	5550640
5/16		24	69	19	8	6.3	3	5550790
3/8		24	76	20	10	8	3	5550950
7/16		20	82	22	8	6.3	3	5551110
1/2		20	84	24	9	7.1	3	5551270
9/16		18	90	25	11.2	9	3	5551430
5/8		18	95	25	12.5	10	4	5551590
3/4		16	104	29	14	11.2	4	5551910
7/8		14	113	33	16	12.5	4	5552220
1"		12	120	35	18	14	4	5552540

Code

**555**


Properties

UNF	ISO 529	HSSE V3
	ISO 2 2B	GUN NOSE SPIRAL POINT

Suited Materials

**GENERAL**

## Spiral Flute Short Machine Taps



Size	Nominal Dia.	TPI	$l_1$	$l_2$	$d_1$	a	No. of Flutes	Code
No.4	2.85	48	48	11	3.15	2.5	3	5560280
No.5	3.18	44	48	11	3.15	2.5	3	5560320
No.6	3.51	40	50	13	3.55	2.8	3	5560350
No.8	4.17	36	53	13	4.5	3.55	3	5560420
No.10	4.83	32	58	16	5	4	3	5560480
No.12	5.49	28	62	17	5.6	4.5	3	5560550
1/4		28	66	19	6.3	5	3	5560640
5/16		24	69	19	8	6.3	3	5560790
3/8		24	76	20	10	8	3	5560950
7/16		20	82	22	8	6.3	3	5561110
1/2		20	84	24	9	7.1	3	5561270
9/16		18	90	25	11.2	9	3	5561430
5/8		18	95	25	12.5	10	3	5561590
3/4		16	104	29	14	11.2	4	5561910
7/8		14	113	33	16	12.5	4	5562220
1"		12	120	35	18	14	4	5562540

Code

**556**

Properties

UNF	ISO 529	HSSE V3
	ISO 2 2B	

Suited Materials


**GENERAL**



THREADING TOOLS



## Parallel Pipe Taps



Code  
**571**


Properties

BSP	G SERIES	ISO 2284
HSS	55°	BS 949 1982 PART 3
STRAIGHT FLUTE		

Suited Materials  
**GENERAL**

Size	Nom. Dia.	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code		
								Tap Set	Taper	Bottom
1/8	9.728	28	59	15	8	6.3	4	5710320	5710321	5710323
1/4	13.157	19	67	19	10	8	4	5710640	5710641	5710643
3/8	16.662	19	75	21	12.5	10	4	5710950	5710951	5710953
1/2	20.955	14	87	26	16	12.5	4	5711270	5711271	5711273
5/8	22.911	14	91	26	18	14	4	5711590	5711591	5711593
3/4	26.441	14	96	28	20	16	4	5711910	5711911	5711913
7/8	30.201	14	102	29	22.4	18	4	5712220	5712221	5712223
1"	33.249	11	109	33	25	20	6	5712540	5712541	5712543
1.1/4	41.910	11	119	36	31.5	25	6	5713170	5713171	5713173
1.1/2	47.803	11	125	37	35.5	28	6	5713810	5713811	5713813
1.3/4	53.746	11	132	39	35.5	28	6	5714450	5714451	5714453
2"	59.614	11	140	41	40	31.5	6	5715080	5715081	5715083
2.1/4	65.710	11	142	42	40	31.5	6	5715720	5715721	5715723
2.1/2	75.184	11	153	45	45	35.5	6	5716350	5716351	5716353
3"	87.884	11	164	48	50	40	6	5717620	5717621	5717623

## Gun Nose Short Machine Taps



Code  
**573**

Properties

BSP	G SERIES	ISO 2284
HSSE V3	55°	BS 949 1982 PART 3
GUN NOSE SPIRAL POINT		

Suited Materials  
**GENERAL**


Size	Nominal Dia.	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code
1/8	9.728	28	59	15	8	6.3	3	5730320
1/4	13.157	19	67	19	10	8	3	5730640
3/8	16.662	19	75	21	12.5	10	4	5730950
1/2	20.955	14	87	26	16	12.5	4	5731270
3/4	26.441	14	96	28	20	16	4	5731910



THREADING TOOLS



# Taper Pipe Hand Taps







Size	Nom. Dia. at Gauge Plane	TPI	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	d <sub>1</sub>	a	No. of Flutes	Code		
									Tap Set	Taper	Bottom
1/8	9.728	28	59	15	10.1	8	6.3	3	5750320	5750321	5750323
1/4	13.157	19	67	19	15	10	8	5	5750640	5750641	5750643
3/8	16.662	19	75	21	15.4	12.5	10	5	5750950	5750951	5750953
1/2	20.955	14	87	26	20.5	16	12.5	5	5751270	5751271	5751273
3/4	26.441	14	96	28	21.8	20	16	5	5751910	5751911	5751913
1"	33.249	11	109	33	26	25	20	5	5752540	5752541	5752543
1.1/4	41.910	11	119	36	28.3	31.5	25	7	5753170	5753171	5753173
1.1/2	47.803	11	125	37	28.3	35.5	28	7	5753810	5753811	5753813
2"	59.614	11	140	41	32.7	40	31.5	7	5755080	5755081	5755083

Code

**575**

Properties

<b>BSPT</b>	<b>Rc SERIES</b>	<b>ISO 2284</b>
<b>HSS</b>		<b>BS 949 1982 PART 3</b>
<b>STRAIGHT FLUTE</b>		
		

Suited Materials


**GENERAL**



**THREADING TOOLS**



## Parallel Pipe Taps



Code
<b>581</b>

Properties		
NPS	ISO 2284	HSS
	ANSI B94.9 1979	STRAIGHT FLUTE

Suited Materials
<b>GENERAL</b>


Size	Nom. Dia.	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code		
								Tap Set	Taper	Bottom
1/8	10.272	27	59	15	8.0	6.3	4	5810320	5810321	5810323
1/4	13.571	18	67	19	10	8.0	4	5810640	5810641	5810643
3/8	17.054	18	75	21	12.5	10	4	5810950	5810951	5810953
1/2	21.224	14	87	26	16	12.5	4	5811270	5811271	5811273
3/4	26.568	14	96	28	20	16	4	5811910	5811911	5811913
1"	33.228	11.1/2	109	33	25	20	6	5812540	5812541	5812543
1.1/4	41.986	11.1/2	119	36	31.5	25	6	5813170	5813171	5813173
1.1/2	48.054	11.1/2	125	37	35.5	28	6	5813810	5813811	5813813
2"	60.091	11.1/2	140	41	40	31.5	6	5815080	5815081	5815083

Code
<b>585</b>

Properties		
NPT	ISO 2284	HSS
	ANSI B94.9 1979	STRAIGHT FLUTE

Suited Materials
<b>GENERAL</b>

## Taper Pipe Taps




Size	Nom. Dia. at Gauge Plane	TPI	l <sub>1</sub>	l <sub>2</sub>	l <sub>3</sub>	d <sub>1</sub>	a	No. of Flutes	Code		
									Tap Set	Taper	Bottom
1/8	10.272	27	59	15	7.9	8.0	6.3	3	5850320	5850321	5850323
1/4	13.571	18	67	19	11.7	10	8.0	5	5850640	5850641	5850643
3/8	17.054	18	75	21	11.5	12.5	10	5	5850950	5850951	5850953
1/2	21.224	14	87	26	14.7	16	12.5	5	5851270	5851271	5851273
3/4	26.568	14	96	28	14.4	20	16	5	5851910	5851911	5851913
1"	33.228	11.1/2	109	33	17.2	25	20	5	5852540	5852541	5852543
1.1/4	41.986	11.1/2	119	36	17.4	31.5	25	7	5853170	5853171	5853173
1.1/2	48.054	11.1/2	125	37	17.8	35.5	28	7	5853810	5853811	5853813
2"	60.091	11.1/2	140	41	16.9	40	31.5	7	5855080	5855081	5855083



THREADING TOOLS

## Short Hand Taps




Size	Nom. Dia.	Pitch	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code			
								Tap Set	Taper	Second	Bottom
No.12	1.3	0.28	40	7	2.5	2	3	5910130	5910131	5910132	5910133
No.10	1.7	0.35	41	8	2.5	2	3	5910170	5910171	5910172	5910173
No.9	1.9	0.39	41	8	2.5	2	3	5910190	5910191	5910192	5910193
No.8	2.2	0.43	44.5	9.5	2.8	2.24	3	5910220	5910221	5910222	5910223
No.7	2.5	0.48	44.5	9.5	2.8	2.24	3	5910250	5910251	5910252	5910253
No.6	2.8	0.53	44.5	9.5	2.8	2.24	3	5910280	5910281	5910282	5910283
No.5	3.2	0.59	48	11	3.15	2.5	3	5910320	5910321	5910322	5910323
No.4	3.6	0.66	50	13	3.55	2.8	3	5910360	5910361	5910362	5910363
No.3	4.1	0.73	53	13	4.5	3.55	3	5910410	5910411	5910412	5910413
No.2	4.7	0.81	58	16	5	4	3	5910470	5910471	5910472	5910473
No.1	5.3	0.9	62	17	5.6	4.5	3	5910530	5910531	5910532	5910533
No.0	6.0	1	66	19	6.3	5	3	5910600	5910601	5910602	5910603

Code
<b>591</b>

Properties		
BA	ISO 529	HSS
	MED	STRAIGHT FLUTE

Suited Materials
<b>GENERAL</b>

## Short Hand Taps



Size	TPI	l <sub>1</sub>	l <sub>2</sub>	d <sub>1</sub>	a	No. of Flutes	Code		
							Tap Set	Taper	Bottom
1/4	26	66	19	6.3	5	3	5950640	5950641	5950643
5/16	26	72	22	8	6.3	4	5950790	5950791	5950793
3/8	26	80	24	10	8	4	5950950	5950951	5950953
7/16	26	85	25	8	6.3	4	5951110	5951111	5951113
1/2	26	89	29	9	7.1	4	5951270	5951271	5951273
5/8	26	102	32	12.5	10	4	5951590	5951591	5951593
3/4	26	112	37	14	11.2	4	5951910	5951911	5951913
1"	26	130	45	18	14	4	5952540	5952541	5952543

Code
<b>595</b>

Properties		
BSB	ISO 529	HSS
	STRAIGHT FLUTE	

Suited Materials
<b>GENERAL</b>



THREADING TOOLS


## Circular Solid Dies

Code

**580**

Properties

<b>M</b>	<b>DIN 223</b>	<b>HSS</b>
	<b>DIN 13</b>	<b>6G</b>




Size	Pitch	A	W	Code
<b>M1</b>	0.25	16	5	5800100
<b>M1.1</b>	0.25	16	5	5800110
<b>M1.2</b>	0.25	16	5	5800120
<b>M1.4</b>	0.30	16	5	5800140
<b>M1.6</b>	0.35	16	5	5800160
<b>M1.7</b>	0.35	16	5	5800170
<b>M1.8</b>	0.35	16	5	5800180
<b>M1.9</b>	0.35	16	5	5800190
<b>M2</b>	0.4	16	5	5800200
<b>M2.2</b>	0.45	16	5	5800220
<b>M2.3</b>	0.45	16	5	5800230
<b>M2.5</b>	0.45	16	5	5800250
<b>M2.6</b>	0.45	16	5	5800260
<b>M3</b>	0.5	20	5	5800300
<b>M3.5</b>	0.6	20	5	5800350
<b>M4</b>	0.7	20	5	5800400
<b>M4.5</b>	0.75	20	7	5800450
<b>M5</b>	0.8	20	7	5800500
<b>M6</b>	1	20	7	5800600
<b>M7</b>	1	20	7	5800700

Size	Pitch	A	W	Code
<b>M8</b>	1.25	25	9	5800800
<b>M9</b>	1.25	25	9	5800900
<b>M10</b>	1.5	30	11	5801000
<b>M11</b>	1.5	30	11	5801100
<b>M12</b>	1.75	38	14	5801200
<b>M14</b>	2	38	14	5801400
<b>M16</b>	2	45	18	5801600
<b>M18</b>	2.5	45	18	5801800
<b>M20</b>	2.5	45	18	5802000
<b>M22</b>	2.5	55	22	5802200
<b>M24</b>	3	55	22	5802400
<b>M27</b>	3	65	25	5802700
<b>M30</b>	3.5	65	25	5803000
<b>M33</b>	3.5	65	25	5803300
<b>M36</b>	4	65	25	5803600
<b>M39</b>	4	75	30	5803900
<b>M42</b>	4.5	75	30	5804200
<b>M45</b>	4.5	90	36	5804500
<b>M48</b>	5	90	36	5804800



**THREADING  
TOOLS**


# Circular Solid Dies



Code

**582**

Properties

MF	DIN 223	HSS
	DIN 13	6G

Size	Pitch	A	W	Code
MF2	0.25	16	5	5820200
MF2.2	0.25	16	5	5820220
MF2.3	0.25	16	5	5820230
MF2.5	0.25	16	5	5820250
MF2.6	0.25	16	5	5820259
MF2.6	0.35	16	5	5820260
MF3	0.35	20	5	5820300
MF3.5	0.35	20	5	5820350
MF4	0.35	20	5	5820390
MF4	0.5	20	5	5820400
MF5	0.5	20	5	5820500
MF5	0.75	20	7	5820510
MF6	0.5	20	5	5820600
MF6	0.75	20	7	5820610
MF7	0.75	25	9	5820700
MF8	0.5	25	9	5820789
MF8	0.75	25	9	5820790
MF8	1.0	25	9	5820800
MF9	0.75	25	9	5820890
MF9	1.0	25	9	5820900
MF10	0.5	30	11	5820989
MF10	0.75	30	11	5820990
MF10	1.0	30	11	5821000
MF10	1.25	30	11	5821010
MF11	1.0	30	11	5821110
MF12	0.75	38	10	5821189
MF12	1.0	38	10	5821190
MF12	1.25	38	10	5821200
MF12	1.5	38	10	5821210
MF13	1.0	38	10	5821290
MF13	1.5	38	10	5821300
MF14	0.75	38	10	5821389
MF14	1.0	38	10	5821390
MF14	1.25	38	10	5821400
MF14	1.5	38	10	5821410
MF15	1.0	38	10	5821490
MF15	1.5	38	10	5821500
MF16	1.0	45	14	5821590
MF16	1.5	45	14	5821600
MF18	1.0	45	14	5821780
MF18	1.5	45	14	5821800
MF18	2.0	45	14	5821810
MF20	1.0	45	14	5821990
MF20	1.5	45	14	5822000
MF20	2.0	45	14	5822010
MF22	1.0	55	16	5822190
MF22	1.5	55	16	5822200

Size	Pitch	A	W	Code
MF22	2.0	55	16	5822220
MF24	1.0	55	16	5822390
MF24	1.5	55	16	5822400
MF24	2.0	55	16	5822410
MF25	1.0	55	16	5822490
MF25	1.5	55	16	5822500
MF26	1.5	55	16	5822600
MF27	1.5	65	18	5822700
MF27	2.0	65	18	5822710
MF28	1.0	65	18	5822790
MF28	1.5	65	18	5822800
MF28	2.0	65	18	5822810
MF30	1.0	65	18	5822990
MF30	1.5	65	18	5823000
MF30	2.0	65	18	5823010
MF32	1.5	65	18	5823190
MF32	2.0	65	18	5823200
MF33	1.5	65	18	5823290
MF33	2.0	65	18	5823300
MF34	1.5	65	18	5823400
MF35	1.5	65	18	5823500
MF36	1.5	65	18	5823590
MF36	2.0	65	18	5823600
MF36	3.0	65	25	5823610
MF38	1.5	75	20	5823800
MF39	1.5	75	20	5823890
MF39	2.0	75	20	5823900
MF39	3.0	75	20	5823910
MF40	1.5	75	20	5823990
MF40	2.0	75	20	5824000
MF40	3.0	75	20	5824010
MF42	1.5	75	20	5824190
MF42	2.0	75	20	5824200
MF42	3.0	75	20	5824210
MF44	1.5	90	22	5824400
MF45	1.5	90	22	5824490
MF45	2.0	90	22	5824500
MF45	3.0	90	22	5824510
MF48	1.5	90	22	5824790
MF48	2.0	90	22	5824800
MF48	3.0	90	22	5824810
MF50	1.5	90	22	5824990
MF50	2.0	90	22	5825000
MF50	3.0	90	22	5825010
MF52	1.5	90	22	5825190
MF52	2.0	90	22	5825200
MF52	3.0	90	22	5825210



THREADING  
TOOLS





## Circular Solid Dies

Code

**587**

Properties

<b>BSP</b>	<b>DIN 223</b>	<b>HSS</b>
	<b>ISO 228</b>	MEDIUM CLASS BOLT




Size	TPI	A	W	Code
1/8	28	38	10	5870320
1/4	19	38	10	5870640
3/8	19	45	14	5870950
1/2	14	45	14	5871270
5/8	14	55	16	5871590
3/4	14	65	18	5871910
7/8	14	65	18	5872220


Size	TPI	A	W	Code
1"	11	65	18	5872540
1.1/8	11	75	20	5872858
1.1/4	11	75	20	5873170
1.3/8	11	90	22	5873493
1.1/2	11	90	22	5873810
1.3/4	11	90	22	5874445
2"	11	105	22	5875080

Code

**590**

Properties

<b>NPT</b>	<b>DIN 223</b>	<b>HSS</b>
	<b>ANSI B1.20.1</b>	CLASS 2A BOLT




Size	TPI	A	W	Code
1/8	27	30	11	5900320
1/4	18	38	14	5900640
3/8	18	45	14	5900950
1/2	14	45	18	5901270
3/4	14	55	22	5901910

Size	TPI	A	W	Code
1"	11.1/2	65	25	5902540
1.1/4	11.1/2	75	26	5903170
1.1/2	11.1/2	90	27	5903810
2"	11.1/2	105	28	5905080



THREADING TOOLS

## Die Nuts



Size	Pitch	A	W	Code
M3	0.5	19	5	5070300
M4	0.7	19	5	5070400
M5	0.8	19	7	5070500
M6	1	19	7	5070600
M7	1	22	9	5070700
M8	1.25	22	9	5070800
M9	1.25	22	9	5070900
M10	1.5	27	11	5071000
M11	1.5	27	11	5071100
M12	1.75	36	14	5071200

Size	Pitch	A	W	Code
M14	2	36	14	5071400
M16	2	41	18	5071600
M18	2.5	41	18	5071800
M20	2.5	41	18	5072000
M22	2.5	50	22	5072200
M24	3	50	22	5072400
M27	3	60	25	5072700
M30	3.5	60	25	5073000
M33	3.5	60	25	5073300
M36	4	60	25	5073600

Code

**507**

Properties

M	DIN 382	HSS
	DIN 13	6G

## Die Nuts



Size	Pitch	A	W	Code
MF3	0.35	19	5	5770300
MF4	0.5	19	5	5770400
MF6	0.75	19	7	5770610
MF8	0.75	22	9	5770790
MF8	1.0	22	9	5770800
MF10	0.75	27	11	5770990
MF10	1.0	27	11	5771000
MF10	1.25	27	11	5771010
MF12	1.0	36	10	5771190
MF12	1.25	36	10	5771200
MF12	1.5	36	10	5771210
MF14	1.0	36	10	5771390
MF14	1.25	36	10	5771400
MF14	1.5	36	10	5771410
MF16	1.0	41	14	5771590
MF16	1.5	41	14	5771600

Size	Pitch	A	W	Code
MF18	1.0	41	14	5771780
MF18	1.5	41	14	5771800
MF18	2.0	41	14	5771810
MF20	1.0	41	14	5771990
MF20	1.5	41	14	5772000
MF20	2.0	41	14	5772010
MF22	1.0	50	16	5772190
MF22	1.5	50	16	5772200
MF24	1.5	50	16	5772400
MF24	2.0	50	16	5772410
MF25	1.5	50	16	5772500
MF27	1.5	60	18	5772700
MF30	1.5	60	18	5773000
MF32	1.5	60	18	5773300
MF33	1.5	60	18	5773310
MF36	1.5	60	18	5773600

Code

**577**

Properties

MF	DIN 382	HSS
	DIN 13	6G




THREADING  
TOOLS



## Die Nuts




Code
<b>527</b>

Properties		
<b>BSW</b>	<b>DIN 382</b>	<b>HSS</b>
	<b>BS 84</b>	MEDIUM CLASS BOLT

Size	TPI	A	W	Code
1/8	40	19	5	5270320
3/16	24	19	7	5270480
1/4	20	19	7	5270640
5/16	18	22	9	5270790
3/8	16	27	11	5270950
7/16	14	27	11	5271110
1/2	12	36	14	5271270
9/16	12	36	14	5271430
5/8	11	41	18	5271590

Size	TPI	A	W	Code
3/4	10	41	18	5271910
7/8	9	50	22	5272220
1"	8	50	22	5272540
1.1/8	7	60	25	5272860
1.1/4	7	60	25	5273170
1.3/8	6	60	25	5273493
1.1/2	6	70	30	5273810
1.3/4	5	85	36	5274450
2"	4.1/2	85	36	5275080

Code
<b>537</b>

Properties		
<b>BSF</b>	<b>DIN 382</b>	<b>HSS</b>
	<b>BS 84</b>	MEDIUM CLASS BOLT

## Die Nuts



Size	TPI	A	W	Code
1/4	26	19	7	5370640
5/16	22	22	9	5370790
3/8	20	27	11	5370950
7/16	18	27	11	5371110
1/2	16	36	14	5371270
9/16	16	36	14	5371430
5/8	14	41	18	5371590


Size	TPI	A	W	Code
3/4	12	41	18	5371910
7/8	11	50	22	5372220
1"	10	50	22	5372540
1.1/8	9	60	25	5372860
1.1/4	9	60	25	5373180
1.1/2	8	70	30	5373810
2"	7	85	36	5375080



THREADING TOOLS



## Die Nuts




Size	TPI	A	W	Code
1/4	20	19	7	5470640
5/16	18	22	9	5470790
3/8	16	27	11	5470950
7/16	14	27	11	5471110
1/2	13	36	14	5471270
9/16	12	36	14	5471430
5/8	11	41	18	5471590

Size	TPI	A	W	Code
3/4	10	41	18	5471910
7/8	9	50	22	5472220
1"	8	50	22	5472540
1.1/8	7	60	25	5472860
1.1/4	7	60	25	5473180
1.1/2	6	70	30	5473810

Code

**547**

Properties

UNC	DIN 382	HSS
	ANSI B1.1 1982	2A BOLT

## Die Nuts




Size	TPI	A	W	Code
1/4	28	19	7	5570640
5/16	24	22	9	5570790
3/8	24	27	11	5570950
7/16	20	27	11	5571110
1/2	20	36	10	5571270
9/16	18	36	10	5571430
5/8	18	41	14	5571590

Size	TPI	A	W	Code
3/4	16	41	14	5571910
7/8	14	50	16	5572220
1"	12	50	16	5572540
1.1/8	12	60	18	5572860
1.1/4	12	60	18	5573180
1.1/2	12	70	20	5573810

Code

**557**

Properties


UNF	DIN 382	HSS
	ANSI B1.1 1982	2A BOLT



THREADING  
TOOLS




## Die Nuts



Code

**574**

Properties

<b>BSP</b>	<b>DIN 382</b>	<b>HSS</b>
 <b>58°</b>	<b>ISO 228</b>	<b>MEDIUM CLASS BOLT</b>

Size	On Nominal Diameter	TPI	A	W	Code
1/8	9.73	28	36	10	5740320
1/4	13.16	19	36	10	5740640
3/8	16.66	19	41	14	5740950
1/2	20.96	14	41	14	5741270
5/8	22.91	14	50	16	5741590
3/4	26.44	14	60	18	5741910
7/8	30.20	14	60	18	5742220
1"	33.25	11	60	18	5742540
1.1/8	37.90	11	70	20	5742860
1.1/4	41.91	11	70	20	5743170
1.3/8	44.32	11	85	22	5743493
1.1/2	47.80	11	85	22	5743810
1.3/4	53.75	11	100	22	5744445
2"	59.61	11	100	22	5745080



**THREADING TOOLS**

## Adjustable Tap Wrenches



Code



**588**

Ref.	Type	mm	Range Inches	Pipe	Code
T1	T	3-6	1/8 - 1/4	-	5880003
T2	T	8-12	5/16 - 1/2	1/8 - 1/4	5880004
TL3	T LONG REACH	2-6	1/16 - 1/4	-	5880005
TL4	T LONG REACH	8-12	5/16 - 1/2	1/8 - 1/4	5880006
TW1	BAR	2-6	1/16 - 1/4	-	5880001
TW2	BAR	3-12	1/8 - 1/2	1/8 - 1/2	5880002
TW3	BAR	3-12	1/8 - 1/2	1/8 - 1/4	5880007
TW4	BAR	6-20	1/4 - 3/4	1/8 - 3/8	5880008
TW5	BAR	12-27	1/2 - 1"	1/4 - 5/8	5880009
TW6	BAR	20-32	3/4 - 1.1/4	3/8 - 1"	5880010

Properties

**DIN  
1814**

## Die Stocks



Code

**589**

Ref.	d	h	Code	Ref.	d	h	Code
0	16	5	5890000	6A	45	14	5890060
1	20	5	5890010	6	45	18	5890065
2	20	7	5890020	7A	55	16	5890070
3	25	9	5890030	7	55	22	5890075
4	30	11	5890040	8A	65	18	5890080
5A	38	10	5890050	8	65	25	5890085
5	38	14	5890055	9A	75	20	5890090

Properties

**DIN  
225**



**THREADING  
TOOLS**



## Tap & Die Cased Sets

Code  
**5A1**

Properties  
**HSS**

See appropriate Catalogue Pages

Suited Materials  
**GENERAL**



Description of Set	Ref No.	Code
<b>1/8 - 1/2 BSW</b>	HS 3	5A10003
THIS SET CONTAINS:		
TAPS (code 521)	DIES	
TAPER, BOTTOM		
1/8	1/8 x 13/16 O/D	
3/16	3/16 x 13/16 O/D	
1/4	1/4 x 13/16 O/D	
5/16	5/16 x 1" O/D	
3/8	3/8 x 1" O/D	
7/16	7/16 x 1" O/D	
1/2	1/2 x 1" O/D	
TAP WRENCH TW2		
DIESTOCK DS1, DS2		
<b>3/16 - 1/2 BSF</b>	HS 7	5A10007
THIS SET CONTAINS:		
TAPS (code 531)	DIES	
TAPER, BOTTOM		
3/16	3/16 x 13/16 O/D	
1/4	1/4 x 13/16 O/D	
5/16	5/16 x 1" O/D	
3/8	3/8 x 1" O/D	
7/16	7/16 x 1" O/D	
1/2	1/2 x 1" O/D	
TAP WRENCH TW2		
DIESTOCK DS1, DS2		
<b>1/4 - 1/2 UNC</b>	HS 10	5A10010
THIS SET CONTAINS:		
TAPS (code 541)	DIES	
TAPER, BOTTOM		
1/4	1/4 x 1" O/D	
5/16	5/16 x 1" O/D	
3/8	3/8 x 1" O/D	
7/16	7/16 x 1" O/D	
1/2	1/2 x 1" O/D	
TAP WRENCH TW2		
DIESTOCK DS2		

Hexagonal Die Nut Case Sets available on request.



**THREADING TOOLS**

# Tap & Die Cased Sets



Code
<b>5A1</b>

Properties		
<b>HSS</b>		
<b>See appropriate Catalogue Pages</b>		

Suited Materials
<b>GENERAL</b>

Description of Set	Ref No.	Code
<b>1/4 - 1/2 UNF</b>	HS 13	5A10013
THIS SET CONTAINS:		
TAPS (code 551)	DIES	
TAPER, BOTTOM		
1/4	1/4 x 1" O/D	
5/16	5/16 x 1" O/D	
3/8	3/8 x 1" O/D	
7/16	7/16 x 1" O/D	
1/2	1/2 x 1" O/D	
TAP WRENCH TW2		
DIESTOCK DS2		
<b>M2 - M6</b>	HS 16	5A10016
THIS SET CONTAINS:		
TAPS (code 501)	DIES	
TAPER, BOTTOM		
2 x 0.4	2 x 13/16 O/D	
3 x 0.5	3 x 13/16 O/D	
4 x 0.7	4 x 13/16 O/D	
5 x 0.8	5 x 13/16 O/D	
6 x 1	6 x 13/16 O/D	
TAP WRENCH TW1		
DIESTOCK DS1		
<b>M2 - M12</b>	HS 17	5A10017
THIS SET CONTAINS:		
TAPS (code 501)	DIES	
TAPER, BOTTOM		
2 x 0.4	2 x 13/16 O/D	
3 x 0.5	3 x 13/16 O/D	
4 x 0.7	4 x 13/16 O/D	
5 x 0.8	5 x 13/16 O/D	
6 x 1	6 x 13/16 O/D	
7 x 1	7 x 1" O/D	
8 x 1.25	8 x 1" O/D	
9 x 1.25	9 x 1" O/D	
10 x 1.5	10 x 1" O/D	
11 x 1.5	11 x 1" O/D	
12 x 1.75	12 x 1" O/D	
TAP WRENCH TW2		
DIESTOCK DS1, DS2		

Hexagonal Die Nut Case Sets available on request.



**THREADING TOOLS**



## Tap & Die Cased Sets

Code
<b>5A1</b>

Properties
<b>HSS</b>
See appropriate Catalogue Pages

Suited Materials
<b>GENERAL</b>



Description of Sets	Ref No.	Code
<b>M6 - M12</b>	HS 19	5A10019
THIS SET CONTAINS:		
TAPS (code 501)	DIES	
TAPER, BOTTOM		
6 x 1	6 x 1" O/D	
7 x 1	7 x 1" O/D	
8 x 1.25	8 x 1" O/D	
9 x 1.25	9 x 1" O/D	
10 x 1.5	10 x 1" O/D	
11 x 1.5	11 x 1" O/D	
12 x 1.75	12 x 1" O/D	
TAP WRENCH TW2		
DIESTOCK DS2		
<b>M6 - M24</b>	HS 21	5A10021
THIS SET CONTAINS:		
TAPS (code 501)	DIES	
TAPER, BOTTOM		
6 x 1	6 x 1" O/D	
7 x 1	7 x 1" O/D	
8 x 1.25	8 x 1" O/D	
9 x 1.25	9 x 1" O/D	
10 x 1.5	10 x 1" O/D	
11 x 1.5	11 x 1-1/12 O/D	
12 x 1.75	12 x 1-1/12 O/D	
14 x 2	14 x 1-1/12 O/D	
16 x 2	16 x 1-1/12 O/D	
18 x 2.5	18 x 2" O/D	
20 x 2.5	20 x 2" O/D	
22 x 2.5	22 x 2" O/D	
24 x 3	24 x 2" O/D	
TAP WRENCH TW2, TW5		
DIESTOCK DS2, DS4, DS5		

Hexagonal Die Nut Case Sets available on request.



**THREADING TOOLS**

# Colour Band Jobber Drill and Gun Nose Tap Sets



**BLUE BAND  
DRILL AND  
TAP SET**



**GREEN BAND  
DRILL AND  
TAP SET**



**RED BAND  
DRILL AND  
TAP SET**

Code

**5BB  
5G7  
5R5**

Properties

See appropriate  
Catalogue Pages

Suited Materials

See appropriate  
Catalogue Pages

Description of Sets	Ref No.	Code
<b>Blue Band Drill and Tap Set - TiAlN Coated</b>	5BBS	5BB0000
THIS SET CONTAINS:		
JOBBER DRILLS	SPIRAL POINT TAPS	
4.2mm - 1BB0420	M5 - 5390500	
5.0mm - 1BB0500	M6 - 5390600	
6.8mm - 1BB0680	M8 - 5390800	
8.5mm - 1BB0850	M10 - 5391000	
10.2mm - 1BB1020	M12 - 5491200	
<b>Green Band Drill and Tap Set - TiN Coated</b>	5G7S	5G70000
THIS SET CONTAINS:		
JOBBER DRILLS	SPIRAL POINT TAPS	
4.2mm - 1G70420	M5 - 5610500	
5.0mm - 1G70500	M6 - 5610600	
6.8mm - 1G70680	M8 - 5610800	
8.5mm - 1G70850	M10 - 5611000	
10.2mm - 1G71020	M12 - 5661200	
<b>Red Band Drill and Tap Set - TiAlN Coated</b>	5R5S	5R50000
THIS SET CONTAINS:		
JOBBER DRILLS	SPIRAL POINT TAPS	
4.2mm - 1R50420	M5 - 5400500	
5.0mm - 1R50500	M6 - 5400600	
6.8mm - 1R50680	M8 - 5400800	
8.5mm - 1R50850	M10 - 5401000	
10.2mm - 1R51020	M12 - 5501200	

Sets also available with Spiral Flute Taps



**THREADING  
TOOLS**



## Drill and Tap Sets in Metal Index Cases



Code

**598**

Properties

**M HSS**

See appropriate Catalogue Pages

Suited Materials

See appropriate Catalogue Pages

Description of Sets	Code
M3 - M12 Second Short Hand Taps (code 501)	5980501
M3 - M12 Gun Nose Machine Taps (code 508)	5980503
M3 - M12 Spiral Flute Machine Taps (code 510)	5980504
M3 - M12 Short Hand Tap Sets (code 501)	5980506
M3 - M12 Short Hand Tap Sets (code 501) plus 2.5, 3.3, 4.2, 5.0, 6.8, 8.5 and 10.2 mm Straight Shank Drills (code 101)	5980511

**Note:** The above sets contain tap sizes M3, M4, M5, M6, M8, M10 and M12.

Code

**5DT**


Properties

**M HSS**

Suited Materials

**GENERAL**

## Combination Drill and Tap



Size	Pitch	d <sub>1</sub>	l <sub>3</sub>	l <sub>2</sub>	l <sub>1</sub>	Code
<b>M3</b>	0.5	2.5	6	12	35	5DT0300
<b>M4</b>	0.7	3.3	6	14	38	5DT0400
<b>M5</b>	0.8	4.2	7	18	40	5DT0500
<b>M6</b>	1.0	5	9	18	43	5DT0600
<b>M8</b>	1.25	6.8	13	23	51	5DT0800
<b>M10</b>	1.5	8.5	16	32	59	5DT1000

Code

**5AU**

## Somta Tapping, Reaming and Drilling Fluid



Description	Code
300 ml	5AU0010



**THREADING TOOLS**





**Distributors in India**

**Noble Aerospace Private Limited**

3B-32, 3rd Floor, 3rd Block, MS Industrial Complex,  
488B, 14th Cross Road, 4th Phase, Peenya Industrial Area,  
**Bangalore 560058 INDIA**

Ph.: +91-80- 28367717, 28367719 , Fax.: +91-80- 28367718

Email for enquiries : [business@noblefix.com](mailto:business@noblefix.com)

Email for Technical Support : [support@noblefix.com](mailto:support@noblefix.com)

Website : [www.noblefix.com](http://www.noblefix.com)

**(AS9120A and ISO 9001:2008 Certified Company)**

Manufacturers :

**SOMTA TOOLS (Pty.) Ltd.**

**Somta House, 290-294 Moses Mabhida (Edendale) Road,  
Pietermaritzburg, 3201**

**Private Bag X401, Pietermaritzburg, 3200**

**South Africa**

**[www.somta.co.za](http://www.somta.co.za)**